Author Index

AGUILAR LEON, D. *see* RANGEL MORENO, J.
ALBRECHT, I. *see* DALPKE, A.H.
ALPER, C.A. *see* HUSAIN, Z.
ALTHAUSEN, E.-M. *see* WOITAS, R.P.
ALTINCICEK, B. *see* EBERL, M.
AN, H., YU, Y., ZHANG, M., XU, H., QI, R., YAN, X., LIU, S., WANG, W., GUO, Z., GUO, J., QIN, Z. & CAO, X. Involvement of ERK, p38 and NF-κB signal transduction in regulation of TLR2, TLR4 and TLR9 gene expression induced by lipopolysaccharide in mouse dendritic cells, 38
ANDREONI, M. *see* MICHELETTI, F.
DE ANDRÉS, D.F. *see* SHAHEIN, Y.E.A.
ANTONIOU, A.N., FORD, S., PILLEY, E.S., BLAKE, N. & POWIS, S. J. Interactions formed by individually expressed TAP1 and TAP2 polypeptide subunits, 182
APPELBERG, R. *see* FLÓRIDO, M.
ARAI, K.-I. *see* YASUDA, Y.
ARIMURA, K. *see* MATSUYAMA, W.
ARLOTTA, P., MIYAZAKI, D., COPELAND, N.G., GILBERT, D.J., JENKINS, N.A. & ONO, S. J. Murine NFX.1: isolation and characterization of its messenger RNA, mapping of its chromosomal location and assessment of its developmental expression, 173
ATO, M., IWABUCHI, K., SHIMADA, S., MUKAIDA, N. & ONOÉ, K. Augmented expression of tumour necrosis factor-α induced by lipopolysaccharide in spleen of human monocyte chemoattractant protein-1 transgenic mouse enhances the lipopolysaccharide sensitivity of the marginal zone macrophages, 554
AUGE, C. *see* BENMOHAMED, L.

BAHR, U. *see* EBERL, M.
BARTLETT, E.J. *see* CULL, V.S.
BAS, A. *see* MELGAR, S.
BAZZARO, M. *see* MICHELETTI, F.
BECK, E. *see* EBERL, M.
BECK-NIELSEN, H. *see* PETROVSKY, N.
BEHAR, S.M. *see* HIROMATSU, K.
BEN, K. *see* WANG, X.
BENMOHAMED, L., KRISHNAN, R., AUGE, C., PRIMUS, J.F. & DIAMOND, D. J. Intranasal administration of a synthetic lipopeptide without adjuvant induces systemic immune responses, 113
BERARD, M. & TOUGH, D. F. Qualitative differences between naïve and memory T cells, 127
BETTERIDGE, Z.E. *see* NASHAR, T.O.
BILSBOROUGH, J. & VINEY, J. L. Getting to the guts of immune regulation, 139
BISTONI, F. *see* VECCHIARELLI, A.
BLAKE, N. *see* ANTONIOU, A.N.
BONNEVIE-NIELSEN, V. *see* PETROVSKY, N.
BORREBAECK, C.A.K. *see* ELLMARK, P.
BRACKMANN, H.H. *see* WOITAS, R.P.
BRAMWELL, V.W., EYLES, J.E., SOMAVARAPU, S. & OYA ALPAR, H. Liposome/DNA complexes coated with biodegradable PLA improve immune responses to plasmid encoding hepatitis B surface antigen, 412
BREGENHOLT, S. *see* SADEGHI, H.
BRENNER, M.B. *see* HIROMATSU, K.
BROMLEY, S.K. & DUSTIN, M. L. Stimulation of naïve T-cell adhesion and immunological synapse formation by chemokine-dependent and -independent mechanisms, 289

CAO, X. *see* AN, H.
CAO, X. *see* WANG, X.
CAO, X. *see* YU, Y.
CARLO, D.J. *see* MOSS, R.B.
CARRASCO, C.P. *see* RIGDEN, R.C.
CASADEVALL, A. *see* VECCHIARELLI, A.
CASTAÑÓN, S. *see* JIMÉNEZ, A.
CHEERS, C. *see* MANNERING, S.I.
CHIANG, B.-L. *see* SUEN, J.-L.
CHUANG, Y.-H. *see* SUEN, J.-L.
CHUNG, S.W. *see* LEE, M.H.
CONRAD, D.H. *see* RABAH, D.
COOPER, A.M. *see* FLÓRIDO, M.
COOPER, L.F. *see* GRAYSON, T.H.
COPELAND, N.G. *see* ARLOTTA, P.
COULTON, G. *see* MOREL, A.-S.
CULL, V.S., BARTLETT, E.J. & JAMES, C. M. Type I interferon gene therapy protects agains cytomegalovirus-induced myocarditis, 428
DELLA CUNA, G.R. *see* FAGNONI, F.F.

DA PRADA, G. *see* FAGNONI, F.F.
DALPKE, A.H., ZIMMERMAN, S., ALBRECHT, I. & HEEG, K. Phosphodiester CpG oligonucleotides as adjuvants: polyguanosine runs enhance cellular uptake and improve immunostimulative activity of phosphodiester CpG oligonucleotides *in vitro* and *in vivo*, 102
DASCHER, C.C. *see* HIROMATSU, K.
DAVIDSON, J.M. *see* SMITH, K.M.
DELOOSE, A. *see* JACKSON, S.K.
DE PLAEN, I.G., QU, X.-W., WANG, H., TAN, X.-D., WANG, L., HAN, X.-B., ROZENFELD, R.A. & HSUEH, W. Endotoxin, but not platelet-activating factor, activates nuclear factor κB and increases IκBα and IκBβ turnover in enterocytes, 577
DIAMOND, D.J. *see* BENMOHAMED, L.
DIVELEY, J.P. *see* MOSS, R.B.
DOAN, T. *see* STREET, M.D.
DUBEY, D.P. *see* HUSAIN, Z.
DUITS, L.A., RAVENSBERGEN, B., RADEMAKER, M., HIEMSTRA, P.S. & NIBBERING, P. H. Expression of β-defensin 1 and 2 mRNA by human monocytes, macrophages and dendritic cells, 517
DUSTIN, M.L. *see* BROMLEY, S.K.

EBERL, M., ALTINCICEK, B., KOLLAS, A.-K., SANDERBRAND, S., BAHR, U., REICHENBERG, A., BECK, E., FOSTER, D., WIESNER, J., HINTZ, M. & JOMAA, H. Accumulation of a potent γδ T-cell stimulator after deletion of the *lytB* gene in *Escherichia coli*, 200
EKMARK, A. *see* WING, K.
ELLMARK, P., OTTOSSON, C., BORREBAECK, C.A.K., MALMBORG HAGER, A.-C. & FUREBRING, C. Modulation of the CD40–CD40 ligand interaction using human anti-CD40 single-chain antibody fragments obtained from the n-CoDeR phage display library, 456
ENDERS, G. A. Mechanism of antigen presentation after hypertonic loading of soluble antigens., 511
ENSOLI, B. *see* MICHELETTI, F.
ESHIMA, K., SUZUKI, H. & SHINOHARA, N. Lack of evidence for aggregation-dependent enhancement of $p56^{lck}$ in the signal transduction upon major histocompatibility complex recognition by mature T cells, 46
ESTRADA GARCÍA, I. *see* RANGEL MORENO, J.

Author Index

AGUILAR LEON, D. *see* RANGEL MORENO, J.
ALBRECHT, I. *see* DALPKE, A.H.
ALPER, C.A. *see* HUSAIN, Z.
ALTHAUSEN, E.-M. *see* WOITAS, R.P.
ALTINCICEK, B. *see* EBERL, M.
AN, H., YU, Y., ZHANG, M., XU, H., QI, R., YAN, X., LIU, S., WANG, W., GUO, Z., GUO, J., QIN, Z. & CAO, X. Involvement of ERK, p38 and NF-κB signal transduction in regulation of TLR2, TLR4 and TLR9 gene expression induced by lipopolysaccharide in mouse dendritic cells, 38
ANDREONI, M. *see* MICHELETTI, F.
DE ANDRÉS, D.F. *see* SHAHEIN, Y.E.A.
ANTONIOU, A.N., FORD, S., PILLEY, E.S., BLAKE, N. & POWIS, S. J. Interactions formed by individually expressed TAP1 and TAP2 polypeptide subunits, 182
APPELBERG, R. *see* FLÓRIDO, M.
ARAI, K.-I. *see* YASUDA, Y.
ARIMURA, K. *see* MATSUYAMA, W.
ARLOTTA, P., MIYAZAKI, D., COPELAND, N.G., GILBERT, D.J., JENKINS, N.A. & ONO, S. J. Murine NFX.1: isolation and characterization of its messenger RNA, mapping of its chromosomal location and assessment of its developmental expression, 173
ATO, M., IWABUCHI, K., SHIMADA, S., MUKAIDA, N. & ONOÉ, K. Augmented expression of tumour necrosis factor-α induced by lipopolysaccharide in spleen of human monocyte chemoattractant protein-1 transgenic mouse enhances the lipopolysaccharide sensitivity of the marginal zone macrophages, 554
AUGE, C. *see* BENMOHAMED, L.

BAHR, U. *see* EBERL, M.
BARTLETT, E.J. *see* CULL, V.S.
BAS, A. *see* MELGAR, S.
BAZZARO, M. *see* MICHELETTI, F.
BECK, E. *see* EBERL, M.
BECK-NIELSEN, H. *see* PETROVSKY, N.
BEHAR, S.M. *see* HIROMATSU, K.
BEN, K. *see* WANG, X.
BENMOHAMED, L., KRISHNAN, R., AUGE, C., PRIMUS, J.F. & DIAMOND, D. J. Intranasal administration of a synthetic lipopeptide without adjuvant induces systemic immune responses, 113
BERARD, M. & TOUGH, D. F. Qualitative differences between naïve and memory T cells, 127
BETTERIDGE, Z.E. *see* NASHAR, T.O.
BILSBOROUGH, J. & VINEY, J. L. Getting to the guts of immune regulation, 139
BISTONI, F. *see* VECCHIARELLI, A.
BLAKE, N. *see* ANTONIOU, A.N.
BONNEVIE-NIELSEN, V. *see* PETROVSKY, N.
BORREBAECK, C.A.K. *see* ELLMARK, P.
BRACKMANN, H.H. *see* WOITAS, R.P.
BRAMWELL, V.W., EYLES, J.E., SOMAVARAPU, S. & OYA ALPAR, H. Liposome/DNA complexes coated with biodegradable PLA improve immune responses to plasmid encoding hepatitis B surface antigen, 412
BREGENHOLT, S. *see* SADEGHI, H.
BRENNER, M.B. *see* HIROMATSU, K.
BROMLEY, S.K. & DUSTIN, M. L. Stimulation of naïve T-cell adhesion and immunological synapse formation by chemokine-dependent and -independent mechanisms, 289

CAO, X. *see* AN, H.
CAO, X. *see* WANG, X.
CAO, X. *see* YU, Y.
CARLO, D.J. *see* MOSS, R.B.
CARRASCO, C.P. *see* RIGDEN, R.C.
CASADEVALL, A. *see* VECCHIARELLI, A.
CASTAÑÓN, S. *see* JIMÉNEZ, A.
CHEERS, C. *see* MANNERING, S.I.
CHIANG, B.-L. *see* SUEN, J.-L.
CHUANG, Y.-H. *see* SUEN, J.-L.
CHUNG, S.W. *see* LEE, M.H.
CONRAD, D.H. *see* RABAH, D.
COOPER, A.M. *see* FLÓRIDO, M.
COOPER, L.F. *see* GRAYSON, T.H.
COPELAND, N.G. *see* ARLOTTA, P.
COULTON, G. *see* MOREL, A.-S.
CULL, V.S., BARTLETT, E.J. & JAMES, C. M. Type I interferon gene therapy protects agains cytomegalovirus-induced myocarditis, 428
DELLA CUNA, G.R. *see* FAGNONI, F.F.

DA PRADA, G. *see* FAGNONI, F.F.
DALPKE, A.H., ZIMMERMAN, S., ALBRECHT, I. & HEEG, K. Phosphodiester CpG oligonucleotides as adjuvants: polyguanosine runs enhance cellular uptake and improve immunostimulative activity of phosphodiester CpG oligonucleotides *in vitro* and *in vivo*, 102
DASCHER, C.C. *see* HIROMATSU, K.
DAVIDSON, J.M. *see* SMITH, K.M.
DELOOSE, A. *see* JACKSON, S.K.
DE PLAEN, I.G., QU, X.-W., WANG, H., TAN, X.-D., WANG, L., HAN, X.-B., ROZENFELD, R.A. & HSUEH, W. Endotoxin, but not platelet-activating factor, activates nuclear factor κB and increases IκBα and IκBβ turnover in enterocytes, 577
DIAMOND, D.J. *see* BENMOHAMED, L.
DIVELEY, J.P. *see* MOSS, R.B.
DOAN, T. *see* STREET, M.D.
DUBEY, D.P. *see* HUSAIN, Z.
DUITS, L.A., RAVENSBERGEN, B., RADEMAKER, M., HIEMSTRA, P.S. & NIBBERING, P. H. Expression of β-defensin 1 and 2 mRNA by human monocytes, macrophages and dendritic cells, 517
DUSTIN, M.L. *see* BROMLEY, S.K.

EBERL, M., ALTINCICEK, B., KOLLAS, A.-K., SANDERBRAND, S., BAHR, U., REICHENBERG, A., BECK, E., FOSTER, D., WIESNER, J., HINTZ, M. & JOMAA, H. Accumulation of a potent γδ T-cell stimulator after deletion of the *lytB* gene in *Escherichia coli*, 200
EKMARK, A. *see* WING, K.
ELLMARK, P., OTTOSSON, C., BORREBAECK, C.A.K., MALMBORG HAGER, A.-C. & FUREBRING, C. Modulation of the CD40–CD40 ligand interaction using human anti-CD40 single-chain antibody fragments obtained from the n-CoDeR phage display library, 456
ENDERS, G. A. Mechanism of antigen presentation after hypertonic loading of soluble antigens., 511
ENSOLI, B. *see* MICHELETTI, F.
ESHIMA, K., SUZUKI, H. & SHINOHARA, N. Lack of evidence for aggregation-dependent enhancement of $p56^{lck}$ in the signal transduction upon major histocompatibility complex recognition by mature T cells, 46
ESTRADA GARCÍA, I. *see* RANGEL MORENO, J.

EVENDEN, A.J. *see* GRAYSON, T.H.
EYLES, J.E. *see* BRAMWELL, V.W.

FAGNONI, F.F., LOZZA, L., ZIBERA, C., ZAMBELLI, A., PONCHIO, L., GIBELLI, N., OLIVIERO, B., PAVESI, L., GENNARI, R., VESCOVINI, R., SANSONI, P., DA PRADA, G. & DELLA CUNA, G.R. T-cell dynamics after high-dose chemotherapy in adults: elucidation of the elusive $CD8^+$ subset reveals multiple homeostatic T-cell compartments with distinct implications for immune competence, 27
FEDZ-GUERRERO, M. *see* JIMÉNEZ, A.
FLÓRIDO, M., COOPER, A.M. & APPELBERG, R. Immunological basis of the development of necrotic lesions following *Mycobacterium avium* infection, 590
FORD, S. *see* ANTONIOU, A.N.
FORSBERG, G. *see* PETTERSSON, H.
FORTINI, C. *see* MICHELETTI, F.
FOSTER, D. *see* EBERL, M.
FOURAUX, M.A., VAN DER HEIJDEN, A., VAN VENROOIJ, W.J. & PRUIJN, G. J. M. Cross-reactivity of the anti-La monoclonal antibody SW5 with early endosome antigen 2, 336
FUREBRING, C. *see* ELLMARK, P.

GARCÍA HERNÁNDEZ, M.L. *see* RANGEL MORENO, J.
GARCÍA, R. *see* JIMÉNEZ, A.
GARSIDE, P. *see* SMITH, K.M.
GAUTHIER, L. *see* MILILI, M.
GAVIOLI, R. *see* MICHELETTI, F.
GENNARI, R. *see* FAGNONI, F.F.
GIBELLI, N. *see* FAGNONI, F.F.
GILBERT, D.J. *see* ARLOTTA, P.
GILBERT, K.M. *see* JACKSON, S.K.
GILPIN, M.L. *see* GRAYSON, T.H.
GINGRICH-BAKER, C. *see* HIROMATSU, K.
GIULIANI, M. *see* MICHELETTI, F.
DE GÓRGOLAS, M. *see* JIMÉNEZ, A.
GRAYSON, T.H., COOPER, L.F., WRATHMELL, A.B., ROPER, J., EVENDEN, A.J. & GILPIN, M. L. Host responses to *Renibacterium salmoninarum* and specific components of the pathogen reveal the mechanisms of immune suppression and activation, 273
GREEN, A. *see* PETROVSKY, N.
GUO, J. *see* AN, H.
GUO, Z. *see* AN, H.

HAMANN, A. *see* NOLTE, M.A.
HAMMARSTRÖM, M.-L. *see* MELGAR, S.
HAMMARSTRÖM, S. *see* MELGAR, S.
HAN, S. & SIDELL, N. Peroxisome-proliferator-activated-receptor gamma (PPARγ) independent induction of CD36 in THP-1 monocytes by retinoic acid, 53
HAN, X.-B. *see* DE PLAEN, I.G.
HARRISON, L.C. *see* PETROVSKY, N.
HASHIGUCHI, T. *see* MATSUYAMA, W.
HEEG, K. *see* DALPKE, A.H.
HELANDER, T. *see* RAUTEMAA, R.
HERD, K.A. *see* STREET, M.D.
HERNÁNDEZ PANDO, R. *see* RANGEL MORENO, J.
HERSKIND, A.M. *see* HUSBY, S.
VAN DER HEIJDEN, A. *see* FOURAUX, M.A.
HIEMSTRA, P.S. *see* DUITS, L.A.
HINTZ, M. *see* EBERL, M.
HIRATA, M. *see* NIYONSABA, F.
HIROMATSU, K., DASCHER, C.C., SUGITA, M., GINGRICH-BAKER, C., BEHAR, S.M., LECLAIR, K.P., BRENNER, M.B. & PORCELLI, S. A. Characterization of guinea-pig group 1 CD1 proteins, 159
HIRST, T.R. *see* TURCANU, V.
HO, I-C. & HWANG, E. S. Regulation of thymocyte homeostasis by Fliz1, 464
HOLMGREN, J. *see* SADEGHI, H.
HOLMSKOV, U. *see* HUSBY, S.
HSUEH, W. *see* DE PLAEN, I.G.
HUSAIN, Z., ALPER, C.A., YUNIS, E.J. & DUBEY, D. P. Complex expression of natural killer receptor genes in single natural killer cells, 373
HUSBY, S., HERSKIND, A.M., JENSENIUS, J.C. & HOLMSKOV, U. Heritability estimates for the constitutional levels of the collectins mannan-binding lectin and lung surfactant protein D. A study of unselected like-sexed mono- and dizygotic twins at the age of 6–9 years, 389
HWANG, E.S. *see* HO, I-C.

IHRKE, G. *see* RHODES, D.A.
ISENBERG, D.A. *see* RHODES, D.A.
ISHIKAWA, F., NAKANO, H., SEO, A., OKADA, Y., TORIHATA, H., TANAKA, Y., UCHIDA, T., MIYAKE, H. & KAKIUCHI, T. Irradiation up-regulates CD80 expression through induction of tumor necrosis factor-α and CD40 ligand expression on B lymphoma cells, 354
IWABUCHI, K. *see* ATO, M.
IWABUCHI, K. *see* NIYONSABA, F.

JACKSON, S.K., DelOOSE, A. & GILBERT, K. M. The ability of antigen, but not IL-2, to promote n-butyrate-induced Th1 cell anergy is associated with increased expression and altered association patterns of cyclin dependent kinase inhibitors, 486
JAMES, C.M. *see* CULL, V.S.
JANSEN, H.M. *see* DE PATER-HUIJSEN, F.L.
JENKINS, N.A. *see* ARLOTTA, P.
JENSEN, F. *see* MOSS, R.B.
JENSENIUS, J.C. *see* HUSBY, S.
JIMÉNEZ, A. *see* JIMÉNEZ, A.
JIMÉNEZ, A., MOLERO, L., JIMÉNEZ, A., CASTAÑÓN, S., SUBIRÁ, D., DE GÓRGOLAS, M., FEDZ-GUERRERO, M. & GARCÍA, R. Role of anti-retroviral regimes in HIV-1 patients in reducing immune activation, 80
JOMAA, H. *see* EBERL, M.

KAKIUCHI, T. *see* ISHIKAWA, F.
KANEKO, A. *see* YASUDA, Y.
KANG, B.Y. *see* LEE, M.H.
KARLSSON, H. *see* WING, K.
KAWABATA, M. *see* MATSUYAMA, W.
KEMENY, D.M. *see* NOBLE, A.
KIM, K.-M. *see* LEE, M.H.
KIM, T.S. *see* LEE, M.H.
KIMURA, M. *see* MATSUZAWA, A.
KISSNER, T. *see* SAIKH, K.U.
KLEGERIS, A., SINGH, E.A. & MCGEER, P. L. Effects of C-reactive protein and pentosan polysulphate on human complement activation, 381
KOCHAN, B. *see* WOITAS, R.P.
KOLLAS, A.-K. *see* EBERL, M.
KOZEL, T.R. *see* VECCHIARELLI, A.
KRAAL, G. *see* NOLTE, M.A.
KRISHNAN, R. *see* BENMOHAMED, L.
KUBOTA, R. *see* MATSUYAMA, W.
KYVIK, K.O. *see* PETROVSKY, N.

LEBENS, M. *see* SADEGHI, H.
LEE, M.H., CHUNG, S.W., KANG, B.Y., KIM, K.-M. & KIM, T. S. Hydroquinone, a reactive metabolite of benzene, enhances interleukin-4 production in $CD4^+$ T cells and increases immunoglobulin E levels in antigen-primed mice, 496
LIU, S. *see* AN, H.
LIU, S. *see* YU, Y.
LONDEI, M. *see* MOREL, A.-S.
LOZZA, L. *see* FAGNONI, F.F.
LUTTER, R. *see* DE PATER-HUIJSEN, F.L.
LECLAIR, K.P. *see* HIROMATSU, K.

MALCHEREK, G. *see* RHODES, D.A.
MALMBORG HAGER, A.-C. *see* ELLMARK, P.
MANNERING, S.I., ZHONG, J. & CHEERS, C. T-cell activation, proliferation and apoptosis in primary *Listeria monocytogenes* infection, 87
MARQUEZ, R. *see* RANGEL MORENO, J.
MATSUDA, H. *see* NIYONSABA, F.
MATSUYAMA, W., KUBOTA, R., HASHIGUCHI, T., MOMI, H., KAWABATA, M., NAKAGAWA, M., ARIMURA, K. & OSAME, M. Purified protein derivative of tuberculin upregulates the expression of vascular endothelial growth facor in T lymphocytes *in vitro*, 96
MATSUZAWA, A., SHIMIZU, M., TAKEDA, Y., NAGASE, H., SAYAMA, K. & KIMURA, M. Significant role of Fas ligand-binding but defective Fas receptor (CD95) in lymph node hyperplasia composed of abnormal double-negative T cells, 470
MATTEI, M.-G. *see* MILILI, M.
MATZ, B. *see* WOITAS, R.P.
MCGEER, P.L. *see* KLEGERIS, A.
MEBIUS, R.E. *see* NOLTE, M.A.
MELGAR, S., BAS, A., HAMMARSTRÖM, S. & HAMMARSTRÖM, M.-L. Human small intestinal mucosa harbours a small population of cytolytically active $CD8^+$ $\alpha\beta$ T lymphocytes, 476
MERI, S. *see* RAUTEMAA, R.
MICHELETTI, F., MONINI, P., FORTINI, C., RIMESSI, P., BAZZARO, M., ANDREONI, M., GIULIANI, M., TRANIELLO, S., ENSOLI, B. & GAVIOLI, R. Identification of cytotoxin T lymphocyte epitopes of human herpesvirus 8, 395
MILILI, M., GAUTHIER, L., VERAN, J., MATTEI, M.-G. & SCHIFF, C. A new Groucho TLE4 protein may regulate the repressive activity of Pax5 in human B-lymphocytes, 447
MITCHELL, R.N. *see* NASHAR, T.O.
MIYAKE, H. *see* ISHIKAWA, F.
MIYATAKE, S. *see* YASUDA, Y.
MIYAZAKI, D. *see* ARLOTTA, P.
MOLERO, L. *see* JIMÉNEZ, A.
MOMI, H. *see* MATSUYAMA, W.
MONINI, P. *see* MICHELETTI, F.
MOREL, A.-S., COULTON, G. & LONDEI, M. Regulation of major histocompatibility complex class II synthesis by interleukin-10, 229
MOSS, R.B., SAVARY, J.R., DIVELEY, J.P., JENSEN, F. & CARLO, D. J. Maternal and newborn immunization with a human immunodeficiency virus-1 immunogen in a rodent model, 549
MUKAIDA, N. *see* ATO, M.
MCCULLOUGH, K.C. *see* RIGDEN, R.C.

NAGAOKA, I. *see* NIYONSABA, F.
NAGASE, H. *see* MATSUZAWA, A.
NAKAGAWA, M. *see* MATSUYAMA, W.
NAKANO, H. *see* ISHIKAWA, F.
NASHAR, T.O., BETTERIDGE, Z.E. & MITCHELL, R. N. Antigen binding to G_{M1} ganglioside results in delayed presentation: minimal effects of G_{M1} on presentation of antigens internalized via other pathways, 60
NIBBERING, P.H. *see* DUITS, L.A.
NISHIJIMA, I. *see* YASUDA, Y.
NIYONSABA, F., IWABUCHI, K., SOMEYA, A., HIRATA, M., MATSUDA, H., OGAWA, H. & NAGAOKA, I. A cathelicidin family of human antibacterial peptide LL-37 induces mast cell chemotaxis, 20
NOBLE, A. & KEMENY, D.M. Do functional subsets of leucocytes arise by divergent or linear differentiation?, 443
NOLTE, M.A., HAMANN, A., KRAAL, G. & MEBIUS, R. E. The strict regulation of lymphocyte migration to splenic white pulp does not involve common homing receptors, 299

OGAWA, H. *see* NIYONSABA, F.
OKADA, Y. *see* ISHIKAWA, F.
OLIVIERO, B. *see* FAGNONI, F.F.
ONO, S.J. *see* ARLOTTA, P.
ONO, S.J. *see* TODA, M.
ONOÉ, K. *see* ATO, M.
OSAME, M. *see* MATSUYAMA, W.
OTTOSSON, C. *see* ELLMARK, P.
OUT, T.A. *see* DE PATER-HUIJSEN, F.L.
OYA ALPAR, H. *see* BRAMWELL, V.W.

DE PATER-HUIJSEN, F.L., DE RIEMER, M.J., REIJNEKE, R.M.R., POMPEN, M., LUTTER, R., JANSEN, H.M. & OUT, T. A. Products from human mast cell line cells enhance the production of interferon-γ by $CD8^+$ and $CD4^+$ T cells, 11
PAVESI, L. *see* FAGNONI, F.F.
PÉREZ DE LA LASTRA, J.M. *see* SHAHEIN, Y.E.A.
PETERSEN, J.S. *see* SADEGHI, H.
PETROVSKY, N., KYVIK, K.O., BONNEVIE-NIELSEN, V., BECK-NIELSEN, H., GREEN, A. & HARRISON, L. C. Evidence from twins for acquired cellular immune hyperactivity in type 1 diabetes, 584
PETTERSSON, H. & FORSBERG, G. Staphylococcal enterotoxin H contrasts closely related enterotoxins in species reactivity, 71
PFEFFER, K. *see* REITER, R.
PIETRELLA, D. *see* VECCHIARELLI, A.
PILLEY, E.S. *see* ANTONIOU, A.N.
POMPEN, M. *see* DE PATER-HUIJSEN, F.L.
PONCHIO, L. *see* FAGNONI, F.F.
PORCELLI, S.A. *see* HIROMATSU, K.
POWIS, S.J. *see* ANTONIOU, A.N.
PRIMUS, J.F. *see* BENMOHAMED, L.
PRUIJN, G.J.M. *see* FOURAUX, M.A.

QI, R. *see* AN, H.
QIN, Z. *see* AN, H.
QIN, Z. *see* YU, Y.
QU, X.-W. *see* DE PLAEN, I.G.

RABAH, D. & CONRAD, D. H. Effect of cell density on *in vitro* mouse immunoglobulin E production, 503
RADEMAKER, M. *see* DUITS, L.A.
RANGEL MORENO, J., ESTRADA GARCÍA, I., GARCÍA HERNÁNDEZ, M.L., AGUILAR LEON, D., MARQUEZ, R. & HERNÁNDEZ PANDO, R. The role of prostaglandin E_2 in the immunopathogenesis of experimental pulmonary tuberculosis, 257
RAUTEMAA, R., HELANDER, T. & MERI, S. Herpes simplex virus 1 infected neuronal and skin cells differ in their susceptibility to complement attack, 404
RAVENSBERGEN, B. *see* DUITS, L.A.
REICHENBERG, A. *see* EBERL, M.
REIJNEKE, R.M.R. *see* DE PATER-HUIJSEN, F.L.
REINICKE, A.T. *see* RHODES, D.A.
REITER, R. & PFEFFER, K. Impaired germinal centre formation and humoral immune response in the absence of CD28 and interleukin-4, 222
RHODES, D.A., IHRKE, G., REINICKE, A.T., MALCHEREK, G., TOWEY, M., ISENBERG, D.A. & TROWSDALE, J. The 52 000 MW Ro/SS-A autoantigen in Sjögren's syndrome/systemic lupus erythematosus (Ro52) is an interferon-γ inducible tripartite motif protein associated with membrane proximal structures, 246
DE RIEMER, M.J. *see* DE PATER-HUIJSEN, F.L.
RIGDEN, R.C., CARRASCO, C.P., SUMMERFIELD, A. & MCCULLOUGH, K. C. Macrophage phagocytosis of foot-and-mouth disease virus may create infectious carriers, 537
RIMESSI, P. *see* MICHELETTI, F.
ROCKSTROH, J.K. *see* WOITAS, R.P.
ROPER, J. *see* GRAYSON, T.H.
ROZENFELD, R.A. *see* DE PLAEN, I.G.
RUDIN, A. *see* WING, K.

SADEGHI, H., BREGENHOLT, S., WEGMANN, D., PETERSEN, J.S., HOLMGREN, J. & LEBENS, M. Genetic fusion of human insulin B-chain to the B-subunit of cholera toxin enhances *in vitro* antigen presentation and induction of bystander suppression *in vivo*, 237
SAIKH, K.U., KISSNER, T. & ULRICH, R. G. Regulation of HLA-DR and co-stimulatory molecule expression on natural killer T cells by granulocyte-macrophage colony-stimulating factor, 363
SANDERBRAND, S. *see* EBERL, M.
SANSONI, P. *see* FAGNONI, F.F.
SAUERBRUCH, T. *see* WOITAS, R.P.
SAVARY, J.R. *see* MOSS, R.B.
SAYAMA, K. *see* MATSUZAWA, A.
SCHIFF, C. *see* MILILI, M.
SEO, A. *see* ISHIKAWA, F.
SHAHEIN, Y.E.A., DE ANDRÉS, D.F. & PÉREZ DE LA LASTRA, J. M. Molecular cloning and functional characterization of the pig homologue of integrin-associated protein (IAP/CD47), 564
SHIMADA, S. *see* ATO, M.
SHIMIZU, M. *see* MATSUZAWA, A.
SHINOHARA, N. *see* ESHIMA, K.
SIDELL, N. *see* HAN, S.
SINGH, E.A. *see* KLEGERIS, A.
SIPPEL, M. *see* WOITAS, R.P.
SMITH, K.M., DAVIDSON, J.M. & GARSIDE, P. T-cell activation occurs simultaneously in local and peripheral lymphoid tissue following oral administration of a range of doses of immunogenic or tolerogenic antigen although tolerised T cells display a defect in cell division, 144
SOMAVARAPU, S. *see* BRAMWELL, V.W.
SOMEYA, A. *see* NIYONSABA, F.
SONG, W. *see* YU, Y.
SPENGLER, U. *see* WOITAS, R.P.
STREET, M.D., DOAN, T., HERD, K.A. & TINDLE, R. W. Limitations of HLA-transgenic mice in presentation of HLA-restricted cytotoxic T-cell epitopes from endogenously processed human papillomavirus type 16 E7 protein, 526
SUBIRÁ, D. *see* JIMÉNEZ, A.
SUEN, J.-L., CHUANG, Y.-H. & CHIANG, B.-L. *In vivo* tolerance breakdown with dendritic cells pulsed with U1A protein in non-autoimmune mice: the induction of a high level of autoantibodies but not renal pathological changes, 326
SUGITA, M. *see* HIROMATSU, K.
SUMMERFIELD, A. *see* RIGDEN, R.C.
SURI-PAYER, E. *see* WING, K.
SUZUKI, H. *see* ESHIMA, K.

TAKEDA, Y. *see* MATSUZAWA, A.
TAN, X.-D. *see* DE PLAEN, I.G.
TANAKA, Y. *see* ISHIKAWA, F.
TINDLE, R.W. *see* STREET, M.D.
TODA, M & ONO, S. J. Genomics and proteomics of allergic disease, 1
TORIHATA, H. *see* ISHIKAWA, F.
TOUGH, D.F. *see* BERARD, M.
TOWEY, M. *see* RHODES, D.A.
TRANIELLO, S. *see* MICHELETTI, F.
TROWSDALE, J. *see* RHODES, D.A.
TURCANU, V., HIRST, T.R. & WILLIAMS, N. A. Modulation of human monocytes by *Escherichia coli* heat-labile enterotoxin B-subunit; altered cytokine production and its functional consequences, 316
TYBULEWICZ, V. L. J. Chemokines and the immunological synapse, 287

UCHIDA, T. *see* ISHIKAWA, F.
ULRICH, R.G. *see* SAIKH, K.U.

VECCHIARELLI, A., PIETRELLA, D., BISTONI, F., KOZEL, T.R. & CASADEVALL, A. Antibody to *Cryptococcus neoformans* capsular glucuronoxylomannan promotes expression of interleukin-12Rβ2 subunit on human cells *in vitro* through effects mediated by antigen-presenting cells, 267
VAN VENROOIJ, W.J. *see* FOURAUX, M.A.
VERAN, J. *see* MILILI, M.
VESCOVINI, R. *see* FAGNONI, F.F.
VINEY, J.L. *see* BILSBOROUGH, J.

WANG, H. *see* DE PLAEN, I.G.
WANG, L. *see* DE PLAEN, I.G.
WANG, W. *see* AN, H.
WANG, W. *see* YU, Y.
WANG, X., ZHAO, X., BEN, K., CAO, X., WANG, Y. & ZHOU, H. Circulating immunoglobulin A- and immunoglobulin G-secreting hybridoma cells in peripheral blood preferably migrate to female genital tracts. The role of sex hormones., 343
WANG, Y. *see* WANG, X.
WEGMANN, D. *see* SADEGHI, H.
WIESNER, J. *see* EBERL, M.
WILLIAMS, N.A. *see* TURCANU, V.
WING, K., EKMARK, A., KARLSSON, H., RUDIN, A. & SURI-PAYER, E. Characterization of human $CD25^+$ $CD4^+$ T cells in thymus, cord and adult blood, 190
WOITAS, R.P., SIPPEL, M., ALTHAUSEN, E.-M., BRACKMANN, H.H., KOCHAN, B., MATZ, B., ROCKSTROH, J.K., SAUERBRUCH, T. & SPENGLER, U. Differential expansion of T-cell receptor variable beta subsets after antigenic stimulation in patients with different outcomes of hepatitis C infection, 419
WRATHMELL, A.B. *see* GRAYSON, T.H.

XU, H. *see* AN, H.

YAN, X. *see* AN, H.
YASUDA, Y., KANEKO, A., NISHIJIMA, I., MIYATAKE, S. & ARAI, K.-I. Interleukin-7 inhibits pre-T-cell differentiation induced by the pre-T-cel receptor signal and the effect is mimicked by hGM-CSF in hGM-CSF receptor transgenic mice, 212
YU, Y. *see* AN, H.
YU, Y., LIU, S., WANG, W., SONG, W., ZHANG, M., ZHANG, W., QIN, Z. & CAO, X. Involvement of tumor necrosis factor-α-related apoptosis-inducing ligand in enhanced cytotoxicity of lipopolysaccharide-stimulated dendritic cells to activated T cells, 308
YUNIS, E.J. *see* HUSAIN, Z.

ZAMBELLI, A. *see* FAGNONI, F.F.
ZHANG, M. *see* AN, H.
ZHANG, M. *see* YU, Y.
ZHANG, W. *see* YU, Y.
ZHAO, X. *see* WANG, X.
ZHONG, J. *see* MANNERING, S.I.
ZHOU, H. *see* WANG, X.
ZIBERA, C. *see* FAGNONI, F.F.
ZIMMERMAN, S. *see* DALPKE, A.H.

Subject Index

Allergy:
  effect of cigarette smoke, 496
  IL-4, 496
Anergy:
  induced by n-butyrate, 486
  Th1 cells, 486
Antigen presentation:
  EtxB, 60
  G_{M1} ganglioside binding, 60
  membrane rafts, 60
Antigen processing:
  CTL response, 511
  MHC class I, 511
  soluble antigens, 511
Anti-retroviral therapy:
  apoptosis, 80
  HIV-1, 80
  reduces immune activation, 80
Autoantigens:
  SLE/Sjögren's syndrome, 246
Autoimmunity:
  dendritic cells acquire nuclear autoantigens, 326
  nuclear autoantigens, 326

β-defensin:
  on human myeloid lineage cells, 517
B cell development:
  Groucho TLE4 gene, 447
  human, 447
B lymphoma:
  CD80 expression, 354
  effect of irradiation, 354
  TNF-α expression, 354

CD1 proteins:
  characterization, 159
  DC expression, 159
  guinea pig, 159
$CD25^+$ $CD4^+$ T cells:
  cord blood, 190
  human, 190
  thymus, 190
CD28:
  synergises with IL-4 in germinal centre formation, 222
CD36:
  induced in monocytes by PPARγ, 53
CD40–CD40L interaction:
  antibody fragments, 456
  human, 456
  scFv, 456
CD47:
  pig homologue of human integrin, 564
  porcine, 564
$CD8^+$ subsets:
  $CD8^+$ $CD95^-$ $CD28^+$, 27
  reconstitution following high-dose chemotherapy, 27
$CD8^+$ T cells:
  human intestinal mucosa, 476
CD80 expression:
  upregulated by irradiation, 354
  upregulated by TNF-α expression, 354
Chemokines:
  immunological synapse, 287
  role in immunological synapse formation, 289
  signalling, 287
Chemotaxis:
  induced by cathelicidin antibacterial peptide, 20
  mast cells, 20
Chemotherapy:
  CD8 cell reconstitution, 27
  high-dose, 27
Cholera toxin B-subunit:
  effect on bystander suppression, 237
  enhances antigen presentation, 237
  fusion with insulin B-chain, 237
Collectins:
  heritability estimates of levels, 389
  human, 389
  lung surfactant protein D (SP-D), 389
  mannan-binding lectin (MBL), 389
Complement activation:
  effects of C-reactive protein, 381
  human, 381
Complement regulation:
  DAF, 404
  HSV-infected neuronal cells, 404
  HSV-infected skin cells, 404
CpG-DNA adjuvants:
  DNA backbone modification, 102
Cryptococcus neoformans:
  antibody promotes IL-12Rβ2 subunit, 267
  Th1 response, 267
CTL epitopes:
  HHV-8, 395

Dendritic cells (DCs):
  role in T-cell death, 308
DNA vaccines:
  hepatitis B surface antigen, 412
  plasmid DNA, 412
  routes of delivery, 412

Endotoxin:
  activation of NFκB, 577

Fas ligand:
  expression in double negative T cells, 470
  role in lymph node atrophy, 470
Fliz1:
  thymocyte apoptosis, 464
  role in thymocyte homeostasis, 464
Foot and mouth disease virus (FMPV):
  infectious carriers, 537
  macrophage phagocytosis, 537

γδ T cells:
  lytB-deficient stimulation with *E. coli*, 200
  Vγ9/Vδ2 T cells, 200
Gene therapy:
  interferon, 428
  MCMV, 428
Genetics of allergic disease:
  genome-wide screening, 1
  susceptibility, 1
Germinal centre formation:
  role of CD28 and IL-4, 222
Glucuronoxylomannan (GXM):
  antibody, 267
  effect on IL-12R expression, 267
G_{M1} ganglioside:
  antigen binding, 60

GM-CSF:
effect on NKT cells, 363

Heat-labile enterotoxin:
alters human monocyte cytokine production, 316
induces monocyte IL-10, TNF-α and IL-6 production, 316
Hepatitis C infection (HCV):
memory T cells, 419
TCR BV subsets, 419
Heredity:
levels of collectins, 389
HLA-DR expression:
effect of GM-CSF, 363
NKT cells, 363
HLA-restricted CTL eptiopes:
human papillomavirus, 526
HSV-1 infection:
complement attack, 404
Human herpesvirus 8:
CTL epitopes, 395
HLA-A2-binding peptides, 395
Human La (SS-B) protein:
anti-La antibody, 336
cross-reactivity, 336

IgE production:
murine, 503
regulated by B cell density, 503
Ig-secreting cells:
genital tract, 343
migration, 343
role of sex hormones, 343
IL-4:
synergises with CD28 in germinal centre formation, 222
IL-4 production:
enhanced by hydroquinone, 496
in $CD4^+$ T cells, 496
role of cigarette tar, 496
IL-7:
inhibition of pre-T-cell differentiation, 212
IL-10:
regulates human MHC class II synthesis, 229
IL-12:
receptor expression, 267
Immunological synapse:
LFA-1–ICAM-1, 289
naïve T-cell adhesion, 289
iNOS expression:
effect of PGE_2 concentration, 257
in experimental pulmonary tuberculosis, 257
Integrin:
pig homologue to human, 564
molecular cloning, 564
Interferon:
gene therapy, 428
protects against MCMV-induced myocarditis, 428
role in immunomodulation, 428
Intestinal immune response:
local APCs, 139
oral tolerance, 139
Irradiation:
induces TNF-α expression on B lymphoma, 354

Leucocyte:
differentiation, 443
subsets, 443
Lipopeptide adjuvants:
containing HLA-A*0201-restricted CTL epitopes, 113
induction of systemic immune responses, 113
intranasal administration, 113
Listeria monocytogenes infection:
apoptosis, 87

Lymphocyte migration:
role of homing receptors, 299
spleen, 299

Macrophage:
FMDV interaction, 537
macropinocytosis of virus, 537
Mast cells:
chemotaxis induced by antibacterial peptide, 20
effect on T-cell cytokine production, 11
human, 11
Maternal immunization:
HIV-1, 549
MBL:
genetic dependence, 389
human, 389
MHC class II genes:
dendritic cells, 229
developmental expression, 173
human and mouse homologues, 173
NFX.1, 173
regulation of synthesis by IL-10, 229
MHC-transgenic mice:
CTL epitopes, 526
use in antigen processing studies, 526
Monocyte chemoattractant protein-1:
anti-inflammatory effects, 554
reduces TNF-α production, 554
Monocytes:
cytokine production, 316
human, 316
modulation by EtxB, 316
Mucosal immunology:
Fas/FasL mediated cytotoxicity, 476
human jejunum, 476
Murine cytomegalovirus (MCMV):
gene therapy, 428
Mycobaterium avium infection:
$CD4^+$ T cells, 590
IL-12, 590
immunopathology, 590

Neonatal immunization:
HIV-1, 549
rodent model, 549
NFκB activation:
by endotoxin, 577
in enterocytes, 577
NK cells:
human, 373
killer-cell Ig-like inhibitory responses, 373
receptor genes, 373
NK T cells:
CD80 expression, 363
CD86 expression, 363
HLA-DR expression, 363
role in initiation of primary immune response, 363
transformation into DCs, 363

Oral tolerance:
antigen doses, 144
gut-associated T cells, 139
intestinal immune response, 139
T-cell activation, 144

$p56^{lck}$:
in T-cell signalling, 46
Peroxisome-proliferator-activated-receptor γ (PPARγ):
induction of CD36, 53
role of retinoic acid, 53
PGE_2:
contributes to iNOS expression during infection, 257
role in experimental pulmonary tuberculosis, 257

Platelet activating factor (PAF):
effect on NFκB, 577
enterocytes, 577

Renibacterium salmoninarum:
effect on TNF-α-dependent killing, 273
host response, 273
macrophages, 273

Sjögren's syndrome:
Ro52 autoantigen, 246
tripartite motif autoantigen, 246
Spleen:
lymphocyte homing, 299
Staphylococcus aureus enterotoxin H (SEH):
TCR recognition, 71
Superantigens (SAgs):
interaction with TCRs, 71

T cell:
differentiation, 127
lifespan, 127
memory, 127
naïve, 127
T-cell activation:
following oral antigenic administration, 144
T-cell apoptosis:
during *Listeria monocytogenes* infection, 87
T-cell differentiation:
inhibited by IL-7, 212
role of hGM-CSF, 212
T-cell response:
GAD, 584
in type 1 diabetes, 584
T-cell signalling:
aggregation-dependent enhancement of $p56^{lck}$, 46
TCR BV subsets:
human, 419
in hepatitis C infection, 419
memory, 419
Th1 cell anergy:
association with kinase inhibitor expression, 486
Thymocyte
homeostasis, 464
human, 464
regulation, 464
TLE4 protein:
human B cells, 447
Pax5 interaction, 447
TNF-α expression:
induced by LPS, 554
MCP-1 transgenic mice, 554
role of MCP-1, 554
TNF-α:
role in *Renibacterium salmoninarum* infection, 273
Tolerance:
breakdown of self-tolerance, 326
Tolerized T cells:
cell division defect, 144
local and peripheral lymphoid tissue, 144
Toll-like receptors (TLRs):
DC expression, 38
murine, 38
regulation of gene expression by LPS, 38
TRAIL:
influence of DCs, 308
role in activated T-cell death, 308
Transporter associated with antigen processing (TAP):
in the study of ABC transporters, 182
single polypeptides, 182
Type 1 diabetes:
twins, 584
T-cell hyperactivity, 584

VEGF:
expression in T cells, 96
secretion from human PBMC, 96
upregulated by PPD, 96